RIDING HAS EVOLVED

ALL SHALL AND A

調問



THE EVOLUTION OF RIDING CONTINUES

We can live our lives in anticipation of the destination, or we can experience the adventure of getting there.

We can sit idle, waiting to arrive or we can open the throttle and enjoy the twists, the turns and the open-air exhilaration of it all.

The destination has been given a purpose. The journey has evolved.



EXHILIRATION, HOWEVER YOU LIKE IT.

Presenting the 2016 Can-Am[®] Spyder[®] line-up featuring the new Spyder F3-T and Spyder F3 Limited.

spyder **F3**



^{spyder}RT

^{spyder}RS

spyder **ST**

TO LEARN MORE OR TO SCHEDULE A TEST RIDE, VISIT CANAMSPYDER.COM SPYDER F3-T*



The Spyder F3 has been named a 2015 Red Dot award winner for demonstrating exceptional product design and innovation. The Red Dot awards recognize the finest designs across many product categories and this recognition underscores our commitment to designing world-class recreational products.

CONVENIENT TEST DRIVES

Nothing compares to the feeling of riding a Can-Am Spyder. And it's never been easier to experience whether at a dealer or at a demo event. Visit **CanAmSpyder.com** for a calendar of upcoming events.

EASY LICENSING

While there are a few exceptions, simplicity is the rule. Generally, licensing can be completed in one day, using the Can-Am Spyder for the road test. Information on regional license requirements is available at CanAmSpyder.com.

A STRONG COMMUNITY

From group rides to online discussions, the large and active community of Can-Am Spyder owners offers new riders support, advice and camaraderie. Facebook, Twitter, Instagram and forums are good ways to connect with the community.

FROM A TRUSTED NAME

Built by BRP, every Can-Am Spyder shares its DNA with some of the most exciting, innovative and reliable names in powersports—Ski-Doo® snowmobiles, Sea-Doo® watercraft, Can-Am ATVs and side-by-side vehicles, Evinrude® outboards, and Rotax® engines. WHERE CONVENTION ENDS, THE ULTIMATE JOURNEY BEGINS.

When you ride a Can-Am Spyder F3, the destination becomes the ride itself; a one-of-a-kind experience in open-air riding.

A cruising riding position, low center of gravity and performance-calibrated Vehicle Stability System provide dynamic handling and great cornering, while ensuring unprecedented control. The Rotax 1330 ACE[™] engine offers the power, torque and signature exhaust note guaranteed to make every journey exhilarating.





<u>SPYDER F3</u>

KEY FEATURES: Rotax 1330 ACE In-Line 3-Cylinder Engine

Semi-Automatic or Manual 6-Speed Transmission with reverse

Stability Control, Traction Control and Anti-Lock Brakes

Dynamic Power Steering

UFit system

High-Performance Brembo† Braking System

Gas-charged FOX⁺ PODIUM⁺ Shocks

Anti-Theft System

6.5 Gallons (24.4 L) of Cargo Space

6-Spoke Metallic Silver Front Wheels

<u>SPYDER F3-S</u>

ALL SPYDER F3 FEATURES, PLUS:

Distinctive "S" Trim Signature Machined, Deep Black High Gloss Front Wheels

Black Suede Seat with Red Stitching

Refined Front Fenders with LED Lights

Cruise Control





CAN-AM RED SOLID GLOSS

Also available in Special Series







New for 2016, the Can-Am Spyder F3-T and F3 Limited offer greater freedom and flexibility. Loaded with comfort and convenience features, both models blend performance with practicality and feature extra cargo space for longer rides.

And to make the journey as comfortable as possible, all Spyder F3 models also feature the exclusive UFit system, allowing the rider to adjust the riding position to find a truly customized fit, feel and riding experience

> 111





ALL SPYDER F3-S FEATURES, PLUS:

SACHS⁺ Big-Bore Shocks

Integrated Hard Side Luggage for a total vehicle cargo capacity of 21 Gallons (78 L)

Convenience Console including Glove Box, Tinted Windshield and Integrated Rear-View Mirror

Machined, Deep Black High Gloss Front Wheels

Premium Color Digital Gauge Trailer Ready

Optional 4-Speaker Audio System with USB Port







INTENSE RED PEARL



ALL SPYDER F3-T FEATURES, PLUS: 4-Speaker Audio System with USB Port

Rider Heated Grips Rider Footboards

Limited Trim Signature Seat

Shamrock Chrome Front Wheels

Additional Pieces in Chrome

Also available in Special Series









INTRODUCING THE 2016 CAN-AM SPYDER SPECIAL SERIES IN TRIPLE BLACK.

Embrace the darkness with the limited-production Special Series Spyder F3-S, F3 Limited and RT-S. Featuring exclusive Triple Black coloration and graphics, unique six-spoke front wheels in black chrome and a signature seat. Reserve yours before they disappear.



Part of the UFit System. Race-inspired straight bar is wide and more forward for a more aggressive riding position or tall drivers.

(is) U-FIT -

DRAG BAR

J-FUNCTION — LOW BOY WINDSHIELD

Sporty low windshield for F3-T and F3 Limited models. Scratch and UV-resistant 4.5 mm polycarbonate shield mounts on the stock supports.

★ U-STYLE – SHAMROCK WHEELS

Add personality to your Can-Am Spyder. Casted, painted and machined wheels.

U-PERFORMANCE -AKRAPOVIČ*STRAIGHT SHOT <u>SILENCER</u>

Premium chromed stainless steel shell construction, end cap and heat shields. Deeper, more guttural sound than stock silencer. Meets the most stringent standards—EPA & CARB.

RIDING GEAR -**COOPER JACKET**

Waterproof, windproof and breathable Teflon-treated fabric with RPM technology. Shaped sleeves, adjustable openings, a removable liner and underarm ventilation for comfort. Reflective details for safety.

14

UNIQU<mark>E BEGINS WITH U</mark>

Create a Can-Am Spyder that's as unique as you are. Let our exclusive 4U guide kick start your customization. Choose and cruise. As easy as 1-2-3-4.

U-FUNCTION Ø

 $(\mathbf{\hat{x}})$

U-FIT

down or fully loaded? It's your journey-do it your way.

Now you can tailor your Can-Am Spyder to fit you like a dream. Tweak and adjust the fit that lets you truly connect with your ride. It's all about comfort and enjoying every stretch and curve of the road to freedom.

Every outing is different and that's part of the fun. Customize your Can-Am Spyder for the way you usually ride, and thanks to our easy-to-add or -remove integrated accessories, you can adjust as you need. Is it a solo or 2-up trip today? Stripped



U-STYLE Personalization speaks volumes about who you are, and our custom accessories let you say it with added sophistication and style. Don't incle archevia and style. Don't just embrace your inner self, make a statement.

U-PERFORMANCE





Unleash the untapped power and handling of your Can-Am Spyder with our performance-boosting accessories. Because freedom means you get to choose how you travel your road.


CCESSORIES AND RIDING GEAR











A GUSTOM FIT FOR EVERY RIDER.

To make the journey as comfortable as possible, all Spyder F3 models feature our exclusive UFit system, allowing both male and female riders to customize an exact fit based on their height and preferred riding style. Choose from five footpeg positions and five handlebar options to get ultimate fit and comfort.

AND ASK ABOUT THE SHOWROOM FIT TOOL.



FIND YOUR FIT AT UFITSYSTEM.COM OR VISIT YOUR DEALER



The Spyder RT Y-frame design and sophisticated automotive technologies provide confidence—while the comfort-tuned suspension options, electric adjustable-height windshield, and premium saddle and backrest offer a luxurious ride for driver and passenger. Generous built-in cargo capacity and a premium sound system make the Spyder RT perfect for multi-day adventures, across town or cross-country.

The high-torque Rotax 1330 ACE in-line, triple-cylinder engine is smooth and responsive across the entire rev range, while the six-speed transmission utilizes a cutting-edge clutch-activation system and ECO[™] mode smart-assist to enable a range up to 252 miles (406 km) at 62 mph (100 km/h) on a single tank of fuel.¹

ULTIMATE COMFORT AND LUXURY FOR THE LONG RUN.





<u>SPYDER RT</u>

KEY FEATURES:

Rotax 1330 ACE High-Torque Engine

STEEL BLACK

Semi-Automatic or Manual 6-Speed Transmission with Reverse

Traction Control, Stability Control and Anti-Lock Brakes

Dynamic Power Steering

Brembo Braking System

ECO Mode Smart Assist

Ultra Comfortable Seat with Lumbar Support and Passenger Backrest

41 Gallons (155 L) of Cargo Space

AM/FM Audio System with USB Port and plug Jack 1/8 for cell and MP3 player with Independant Passenger Audio Control

Anti-Theft System

Adjustable Electric Windshield

Heated Rider Handgrips

Cruise Control

12-Spoke Metallic Silver Front Wheels

Premium Color Digital Gauge

<u>SPYDER RT-S</u>

ALL SPYDER RT FEATURES, PLUS:

Adjustable Rear Air Suspension 12-Spoke Carbon Black Satin Front Wheels

Rider Footboards (SE6 Transmission Only) Refined Front Fenders with LED Lights

Fog Lamps and LED Accent Lights

Carbon Black and Satin Chrome Parts

Front Cargo Light and Liner Heated Passenger Grips with Control Two-Tone Seat











ALL SPYDER RT-S FEATURES, PLUS:

12-Spoke Black Chrome Front Wheels

Embossed Special Series Signature Seat

Exclusive Triple Black Coloration and Graphics

Special Series Short Tinted electric Windshield





ALL SPYDER RT-S FEATURES, PLUS:

12-Spoke Chrome Front Wheels and Parts Garmin⁺ Zumo 660 GPS Embroidered Limited Seat Front Cargo Rolling Travel Bag





ORBITAL BLUE





ACCESSORIES AND RIDING GEAR

لَخَنَ اللَّهُ اللَّ TRI AXIS ADJUSTABLE HANDLEBAR

State-of-the-art adjustable handlebar reduces fatigue and delivers comfort for all riders thanks to unlimited adjustment possibilities. Three different axis allow you to adjust the handlebar in terms of height and width, and arm distance.

ADJUSTABLE VENTED WINDSHIELD

Regulates driver frontal airflow. Integrated adjustable vent offers easy infinite adjustment of horizontal slats from closed to fully open.

HASSENGER FOOTBOARDS

Enhance your look and riding experience with complete chrome passenger footboards assembled with rubber insulation pads. Mounting hardware included.

OUPERFORMANCE – AKRAPOVIČ SPORT TOURING 3C SILENCER

Set your ride apart with the dynamic, deep resonant sound of an Akrapovič silencer. Its premium titanium and carbon fiber construction is 55 percent lighter than stock model and it's been tested to meet the most stringent requirements.



UNIQUE BEGINS WITH U Create a Can-Am Spyder that's as unique as you are. Let our exclusive 4U guide kick start your customization Choose and cruise. As easy as 1-2-3-4.

U-FIT

Now you can tailor your Can-Am Spyder to fit you like a dream. Tweak and adjust the fit that lets you truly connect with your ride. It's all about comfort and enjoying every stretch and curve of the road to freedom.

U-FUNCTION

Ø

Every outing is different and that's part of the fun. Customize your Can-Am Spyder for the way you usually ride, and thanks to our easy-to-add or -remove integrated accessories, you can adjust as you need. Is it a solo or 2-up trip today? Stripped down or fully loaded? It's your journey do it your way.

U-STYLE

Personalization speaks volumes about who you are, and our custom accessories let you say it with added sophistication and style. Don't just embrace your inner self, make a statement.

3

U-PERFORMANCE

Unleash the untapped power and handling of your Can-Am Spyder with our performanceboosting accessories. Because freedom means you get to choose how you travel your road.

RIDING GEAR TECH PLUS JACKET

This lightweight and versatile jacket is 100 percent water and wind resistant and features a Sympatex waterproof, windproof, breathable membrane, integrated balaclava hood, shaped sleeves, adjustable openings, ventilation, reflective details and waterresistant pocket with zippers.

24



WALLY GIL Bogotá, Colombia Ryder since 2011 JAYME GOOD New Stanton, USA Ryder since 2012

> **JEFF HILL** Columbia, USA Ryder since 2014

STAND WITH US, AND STAND APART.

When you ride a Can-Am Spyder, you join a diverse and enthusiastic community of fellow riders; adventurers who share a love for the open road. Join us, and experience the exhilaration and peace of mind that can only be found on a Can-Am Spyder.

CHRIS LINDNER Gunskirchen, Austria Ryder since 2008

LAMONT BRYDEN Nixa, USA Ryder since 2007

A

4

LONNY MORGAN Carmichael, USA Ryder since 2014

Q

TANGUY ARIZA Hem, France Ryder since 2015



JULIE LAROCHELLE Sherbrooke, Canada Ryder since 2013 EDWARD BRIGGS Great Barrington, USA Ryder since 2008

ROGER BALE Hurricane, USA Ryder since 2014





16.

IF YOU DREAM OF PERFORMANCE, THIS IS YOUR CAN-AM SPYDER.

The Spyder RS is built to deliver sublime performance and handling. Its technology, riding position and style are perfect for pulse-quickening, time-crushing thrill rides. The remarkable handling characteristics of the Spyder RS are further enhanced by a special sport-calibrated vehicle stability system—developed in partnership with Bosch—which includes traction control, stability control and anti-lock brakes. Plus, the gascharged FOX PODIUM front shocks are tuned for a tight, controlled ride.

The Spyder ST handles sport-touring duty with long-range comfort, crisp handling and acceleration to satisfy any riding style. An upright riding position, footboards and extra legroom make the Spyder ST suitable for all-day comfort while the easily adjustable windshield height and side deflectors offer excellent wind protection. Both Spyder RS and ST are powered by a high-torque 998 cc Rotax V-twin engine. A reverse gear is also standard on both models.











KEY FEATURES:

Rotax 998cc V-Twin Engine

Manual 5-Speed Transmission with Reverse

Traction Control, Stability Control and Anti-Lock Brakes

Dynamic Power Steering

Gas-charged FOX PODIUM Shocks

High-Performance Brembo Braking System

Anti-Theft System

Multi-Function LCD/Analog Gauge

12 Gallons (44 L) of Cargo Space

6 Twin-Spoke Metallic Silver Front Wheels

Sport Windshield

<u>SPYDER RS-S</u>

ALL SPYDER RS FEATURES, PLUS:

Manual or Semi-Automatic 5-Speed Transmission with Reverse

Sport-Tuned Vehicle Stability System

Cruise Control

Premium Color Digital Gauge

Black Chrome 6 Blades-Spoke Front Wheels

Refined Front Fenders with LED Lights

Gold Wheat colored parts

Black Suede with Red Vinyl Seat

SPYDER ST-S

Rotax 998cc V-Twin Engine

Semi-Automatic 5-Speed Transmission with Reverse

Traction Control, Stability Control and Anti-Lock Brakes

Dynamic Power Steering

Gas-charged FOX PODIUM Shocks

High-Performance Brembo Braking System

Premium Color Digital Gauge

Cruise Control

12 Gallons (44 L) of Cargo Space

Black Chrome 6 Blades-Spoke Front Wheels

Refined Front Fenders with LED Lights

Adjustable Windshield with Wind Deflectors









THE CONFIDENCE OF 7 AUTOMOTIVE TECHNOLOGIES, INCLUDING THE MOST ADVANCED VEHICLE STABILITY SYSTEM IN THE INDUSTRY

1. STABILITY CONTROL SYSTEM

The Stability Control System assesses the rider's intended direction and determines the vehicle's appropriate response. The system applies the brakes to the wheels individually and/or reduces excess engine torque until control is regained.

2. TRACTION CONTROL SYSTEM

The Traction Control System detects excessive rear-wheel spin (e.g., in slippery conditions), and provides better grip for a more confident ride. It accomplishes this by regulating engine ignition and fuel injection, reducing engine torque.

3. ANTI-LOCK BRAKING SYSTEM (ABS)

ALC: NO.

ABS monitors each wheel's rotation independently, and can reduce brake pressure to any wheel at risk of locking. Combined with Brembo brakes, it allows for maximum braking performance.

4. SEMI-AUTOMATIC TRANSMISSION

Frith-Alt

No clutch lever. No foot shifter. The semi-automatic transmission uses race car-style paddle shifting for quicker, smoother shifts. 1anual transmission is also available

5. REVERSE

True transmission-based reverse provides increased maneuverability and more complete control.

7. CRUISE CONTROL

Simple, one-handed operation and quick engagement allow the rider to easily set a comfortable pace. Available on specific models.

TOTAL FREEDOM AND CONFIDENCE COME STANDARD.

The Spyder features our signature Y-frame design and patented Vehicle Stability System, developed in partnership with BOSCH, providing precise handling and stability.



The electronically controlled power steering system provides a varying amount of assistance, depending on vehicle speed—making it easier for any rider to maneuver and steer.



The Rotax 1330 ACE engine is configured with three in-line cylinders, producing high-torque response in every gear, 40 percent more low-end torque, and a deep, unmistakable exhaust note. The Rotax 998cc V-Twin engine option offers the responsiveness, torque and power to handle any ride.



NMM NMM Rdax 1330 ACE india 3 qiandes liquid-coloid with electronic truit liquid non dedcronic	Rotax 998 cc V-twin, liquid-cooled with electronic fuel injection and electronic throttle control 3.82 x 2.68 in. (97 x 68 mm) 100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm discs with Brembo 4-piston fixed calipers 270 mm discs with Brembo 4-piston fixed calipers 270 mm discs with Brembo 4-piston fixed calipers	Rotax 998 cc V-twin, liquid-cooled with electronic fuel injection and electronic throttle control 3.82 x 2.68 in. (97 x 68 mm) 100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / S1 in. (129 mm) SWing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with frembo 4-piston fixed calipers
Image: Power (1) Image: Power (1) <t< th=""><th>100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake</th><th>100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Branbo 4-piston fixed calipers</th></t<>	100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	100 hp (74.5 kW) @ 7500 RPM 80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Branbo 4-piston fixed calipers
Image: Power for the power	80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 51 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	80 lb-ft. (108 Nm) @ 5000 RPM Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) SWing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
Image: Rear subset of the	Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	Double A-arms with anti-roll bar Gas-charged FOX PODIUM shocks / 51 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
FRONT SHOCKS TYPE/TRAVEL Gas-charged FOX PODIUM shocks / 51 in. (129 mm) SACHS Big-Bore shock absorbers / 6.9 in. (174 mm) SACHS Big-Bore shock absorbers / 6.9 in. (174 mm) SACHS Big-Bore shock absorbers / 6.9 in. (174 mm) SACHS Big-Bore shock absorbers / 6.9 in. (174 mm) SACHS shock absorbers / 6.9	Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	Gas-charged FOX PODIUM shocks / 5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
REAR SUSPENSION Gene Control Control Swing arm Swing arm with adjustable air suspension Control REAR SHOCK TYPE/TRAVEL SACHS shock absorber / 52 in. (132 mm) SACHS shock absorber with adjustable preload / 52 in. (132 mm) SACHS shock absorber with adjustable preload / 52 in. (132 mm) SACHS shock absorber with adjustable preload / 52 in. (132 mm) Image: Control of the contro	Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	5.1 in. (129 mm) Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
REAR SHOCK TYPE/TRAVEL SACHS shock absorber /52 in. (32 mm) SACHS shock absorber with adjustable preload /52 in. (32 mm) SACHS shock absorber with adjustable preload /52 in. (32 mm) ELECTRONIC BRAKE DISTRIBUTION SYSTEM Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake	SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	Swing arm SACHS shock absorber / 6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
ELECTRONIC BRAKE DISTRIBUTION SYSTEM Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake	Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	6 in. (152 mm) Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
ELECTRONIC BRAKE DISTRIBUTION SYSTEM Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake Foot-operated, hydraulic 3-wheel brake	Foot-operated, hydraulic 3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	Foot-operated, hydraulic 3-wheel brake 270mm discs with Brembo 4-piston fixed calipers
	270 mm discs with Brembo 4-piston fixed calipers 270 mm disc, 1-piston floating caliper with integrated parking brake	3-wheel brake 270 mm discs with Brembo 4-piston fixed calipers
FRONT BRAKES 270 mm discs with Brembn 4-niston fixed caliners 270 mm discs with Brembn 4-niston fixed caliners	270 mm disc, 1-piston floating caliper with integrated parking brake	fixed calipers
CHASSIS REAR BRAKE 270 mm disc, 1-piston floating caliper with integrated parking brake 270 mm disc, 1-piston floating caliper with integrated parking brake	Manual	270 mm disc, 1-piston floating caliper with integrated parking brake
PARKING BRAKE Electrically actuated Electrically actuated Electrically actuated		Electrically actuated
FRONT TIRES MCI65 / 55RI5 55H MCI65 / 55RI5 55H	MC165 / 55R15 55H	MC165 / 55R15 55H
REAR TIRE MC225 / 50RI5 76H MC225 / 50RI5 76H	MC225 / 50R15 76H	MC225 / 50R15 76H
ALUMINUM FRONT RIMS 6-spoke Metallic Silver, 15 x 5 in. (381 x 127 mm) 6-spoke, machined Deep Black high gloss, 15 x 5 in. (381 x 127 mm) Chrome Shamrock, 15 x 5 in. (381 x 127 mm) 12-spoke, Carbon Black Satin, 15 x 5 in. (381 x 127 mm) 12-spoke, Carbon Black	6 twin-spoke Metallic Silver, 6 blades-spoke, Black Chrome, 15 x 5 in. (381 x 127 mm) 15 x 5 in. (381 x 127 mm)	6 blades-spoke, Black Chrome, 15 x 5 in. (381 x 127 mm)
ALUMINUM REAR RIM Metallic Silver, 15 x 7 in. (381 mm x 178 mm) Deep Black, 15 x 7 in. (381 mm x 178 mm) Metallic Silver, 15 x 7 in. (381 x 178 mm) Chrome, 15 x 7 in. (381 x 178 mm) Chrome, 15 x 7 in. (381 x 178 mm)	Metallic Silver, Deep Black, 15 x 7 in. (381 x 178 mm) 15 x 7 in. (381 x 178 mm)	Deep Black, 15 x 7 in. (381 x 178 mm)
	Front fonders with integrated lights Refined front fenders	Refined front fenders with integrated LED lights
	Multi-function LCD / Analog gauge: Premium color digital gauge: Digital	Premium color digital gauge: Digital
INSTRUMENTATION Multi-function LCD segment / analog gauge, tachometer, odometer, trip & hour meters, gear position, fuel gauge, tachometer, segure position, fuel gauge, tachometer, commeters, gear position, fuel gauge, tachometer, commeters, gear position, fuel gauge, tachometer, commeters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist, temperature, engine lights, for meters, gear position, ECO mode smart assist,	Digital speedometer, tachometer, odometer, trip & hour meters, gear position, temperature, engine lights, electronic fuel gauge, clock	speedometer, tachometer, odometer, trip & hour meters, gear position, temperature, engine lights, electronic fuel gauge, clock
RUNNING LIGHTS 2 halogen headlamps (55 / 60-W) 2 halogen headlamps (55-W)	2 halogen headlamps (50-W)	2 halogen headlamps (55 / 60-W)
WINDSHIELD N/A Tinted Touring - Electric adjustment WIND DEFLECTORS N/A Standard Standard	Sport N/A	Sport touring – manually adjustable Standard
CRUISE CONTROL N/A Electronic	N/A Electronic	Electronic
Plack amberged under set Didge and paragrages Plack perforsted Limited trim signature seat.		Sport touring,
with Red stitching and "S" tab seat with Red stitching	Black Black suede with Red vinyl seat	Black suede seat with Red stitching
RIDER HEATED GRIPS N/A Standard AUDIO SYSTEM V/A Optional 4-Speaker audio system 4-Speaker audio system	N/A	Standard
ADDID STSTEM IV/A with radio and aux. plug (Jack 1/8) with radio and aux. plug (Jack 1/8) 4-spearer audio system with radio and aux. plug (Jack 1/8)	N/A	N/A
FEATURES GPS N/A Garmin Zumo 660 GPS with Bluetooth wireless technology	N/A	N/A
POWER OUTLET N/A Optional USB port USB port USB port	N/A	N/A
TOWING CAPACITY N/A Towing capacity of 400 lb (181 kg) Towing capacity of 400 lb (181 kg)	N/A	Towing capacity of 400 lb (181 kg)
TRIMS AND PARTS Metallic Silver. Rear sprocket wheel, front and rear shocks springs, exhaust tip and heat shield Chrome Satin and Carbon Black: Rear sprocket wheel, front and rear shocks Chrome Satin and Carbon Black: Rear sprocket wheel, front and rear shocks Metallic Silver. Rider footpegs, adjustable passenger footboards Carbon Black and Satin Chrome parts Chrome parts Sprocket wheel, front and rear shocks Springs, exhaust tip and heat shield Distinctive "S" trim signature tip and heat shield Distinctive "S" trim signature sprocket wheel, front and rear shocks Springs, exhaust tip and heat shield Chrome parts Chrom	Metallic Silver: Rider and passenger footpegs, footpeg support, handlebar, rear sprocket wheel, front and rear shock springs, exhaust tip and heat shield	Carbon Black: Rider footboards, adjustable passenger footboards and support, handlebar, rear sprocket wheel, front and rear shocks springs, exhaust tip and heat shield
TRANSMISSION OPTIONS 6-speed manual with reverse (SM6) ¹ 6-speed semi-automatic with reverse (SE6)	5-speed manual with reverse (SM5) 5-speed semi-automatic with reverse (SE5)	5-speed semi-automatic with reverse (SE5)
COLOR OPTIONS Steel Black Metallic Pearl White Pearl White Pearl White Pearl White Pearl White COLOR OPTIONS Steel Black Metallic Orbital Blue Steel Black Metallic Monolith Black Satin Intense Red Pearl Monolith Black Satin Intense Red Pearl Monolith Black Satin Orbital Blue Steel Black Metallic	Steel Black Metallic Steel Black Metallic Magma Red/Steel Black Metallic <i>with RS-S graphics</i>	Steel Black Metallic Magma Red
SPECIAL SERIES N/A Black Chrome front wheels, Black perforated seat, exclusive Triple Black coloration and trims, N/A Black Chrome front wheels, Black perforated seat, exclusive Triple Black coloration and trims, N/A Black Chrome front wheels, Black perforated seat, exclusive Triple Black coloration and trims, N/A	N/A	N/A
SCS Stability Control System TCS Traction Control System	Stability Control System	Stability Control System Traction Control System
SAFETY & ABS Anti-lock Braking System Anti-lock Braking System	Traction Control System Anti-lock Braking System	Iraction Control System Anti-lock Braking System
SECURITY Dps ^m Dynamic Power Steering Dynamic Power Steering	Dynamic Power Steering	Dynamic Power Steering
ANTI-THEFT SYSTEM Digitally Encoded Security System (D.E.S.S.) Digitally Encoded Security System (D.E.S.S.)	Digitally Encoded Security System (D.E.S.S.)	Digitally Encoded Security System (D.E.S.S.)
L x W x H 104 x 58.9 x 43.3 in. (2.642 x 1,497 x 1,099 mm) 102 x 58.9 x 48.9 in. (2.596 x 1,497 x 1,241 mm) 105 x 61.9 x 59.4 in. (2.667 x 1,572 x 1,510 mm)	105 x 59.3 x 45.1 in. (2,667 x 1,506 x 1,145 mm)	105 x 59.3 x 52.4 in. (2,667 x 1,506 x 1,332 mm)
WHEELBASE 67.3 in. (1,709 mm) 67.5 in. (1,714 mm)	67.5 in. (1,714 mm)	67.5 in. (1,714 mm)
SEAT HEIGHT 26.6 in. (6/5 mm) 30.4 in. (7/2 mm)	29 in. (737 mm)	29 in. (737 mm)
GROUND CLEARANCE 4.5 in. (115 mm) 4.5 in. (115 mm)	4.5 in. (115 mm)	4.3 in. (110 mm)
DIMENSIONS DRY WEIGHT 850 lb (386 kg) 948 lb (430 kg) 1,012 lb (459 kg)	798 lb (362 kg)	877 lb (398 kg)
STORAGE CAPACITY 65 gal (24.4 L) 20.6 gal (78 L) 41 gal (155 L) MAXIMUM VEHICLE LOAD 439 bl (99 kg) 494 lb (224 kg) 494 lb (224 kg)	12 gal (44 L) 440 lb (200 kg)	12 gal (44 L) 458 lb (208 kg)
FUEL CAPACITY 7.1 gal (27 L) 6.9 gal (26 L)	6.6 gal (25 L)	438 ID (208 kg) 6.6 gal (25 L)
RESERVE 12 gal (4.5 L) approx. 19 al (3.8 L) approx.	1 gal (3.8 L) approx.	1 gal (3.8 L) approx.
FUEL TYPE Premium unleaded	Premium unleaded	Premium unleaded
WARRANTY FACTORY 5-year BRP Limited Warranty with 2-year roadside assistance 2-year BRP Limited Warranty with 2-year roadside assistance	2-year BRP Limited Warranty with 2-year roadside assistance	2-year BRP Limited Warranty with 2-year roadside assistance
EXTENDED BE.S.T. available from 12 to 36 months BE.S.T. available from 12 to 36 months	B.E.S.T. available from 12 to 36 months	B.E.S.T. available from 12 to 36 months

	RS RS
RS	RS-S



Term 1 find a dealer near you, call 1-888-864-2002 or visit our website at canamspyder.com. @2015 Bombardier Recreational Products Inc. (BRP). All rights reserved. e, ^m and the BRP logo are trademarks of BRP or its affiliates. All other trademarks are the property of their respective constant spaced. Fuel mileage may vary depending on Supder RT models, personal riding busits, weather conditions. this length, vehicle configuration and other conditions. Break-in mileage may vary estimate and steps and other conditions. Break-in mileage may vary states at constant spaced. Fuel mileage may vary depending on Supder RT models, personal riding busits, weather conditions. Always ride exponsibly and steps. Follow all instructional and safety materials. Always observe applicable local laws and regulations. Always ride responsibly and safety. Follow all instructional and safety materials. Always observe applicable local laws and regulations. Always react and appropriate protective clothing. And always remember that riding and cloch/drugs don't mix. BRP reserves the right, at any time, to officions and safety materials. Always observe applicable local laws and regulations. Always wear a helmet, eve protection and appropriate protective clothing. And always remember that riding and cloch/drugs don't mix. BRP reserves the right, at any time, to officions and safety materials. Always observe applicable local laws and requipment without incurring obligation. Some models optional equipment. Vehicle performance may vary depending on weather, temperature, alittude, riding ability and rider/passenger weight.











THE WORLD IS OUR PLAYGROUND

Nothing is more valuable than your playtime. That is why BRP is dedicated to continually finding new and better ways to help

you enjoy your favorite powersports. From snow to water to both on- and off-road fun, our passion for adventure fuels the

innovations that result in the ultimate powersports experience for our customers. We value

the land and water we play on and are committed to protecting it. Our desire to thrill is paired

with an emphasis on rider responsibility, placing personal safety above all else. So that each outing can be the most enjoyable, memorable and

thrilling experience possible. Because your free time should always be your best time.

www.brp.com



SKI-DOO° LYNX° SEA-DOO° EVINRUDE° ROTAX° CAN-AM°